

A4 B/W LED Printer

RICOH SP 3600DN

✓ Printer

RICOH
imagine. change.



SP 3600DN

30 B/W
ppm

Compact and economical A4 printing

With an attractive initial purchase price and low Total Cost of Ownership, Ricoh's new A4 LED Printer SP 3600DN is the perfect device for low volume, cost-effective printing. It's also extremely compact, has a warm-up time of only 14 seconds, and prints up to 30 pages per minute (double-sided printing at 15 ppm). Easy to use and maintain, the SP 3600DN handles plain, thick or thin paper between 52 and 162 g/m² and coated or card stock. In addition, its standard paper tray takes 250 sheets, while its optional extra tray takes a further 500 sheets.

- Your budget intact: competitive purchase price
- Cost-efficient: low running costs
- Eco-friendly: low power consumption
- Space-saving: highly compact
- Easy to use with 4-line LCD display



Easy printing at an attractive price

User friendly

Everything about the SP 3600DN is designed to make it a pleasure to work with. The operation panel with its 4-line LCD display is easy to use, with clear and legible instructions. Another practical feature is the easy grip handle of the paper tray.



Economical to run

With a perfect combination of an affordable initial purchase price and a low Total Cost of Ownership, the SP 3600DN is ideal for budget-conscious offices. The Typical Electricity Consumption value of 1.4 kWh is among the lowest in its sector.

Ultra compact

An LED print head takes up much less space than the equivalent laser head. As such the SP 3600DN has a small footprint: you can install this device virtually anywhere as it takes up minimal office space.

Ricoh's total office solutions

Whatever equipment you need for your digital office – a printer, copier, fax, multifunctional device or software – you can find the appropriate solution from Ricoh's extensive line-up. Our solutions are tailored to company-specific needs, issues and challenges. Whether you are looking for cost reduction, productivity improvement, enhancing information security or environmental impact reduction we can help you to find the answer. After implementation, we offer comprehensive aftersales support.



RICOH SP 3600DN

MAIN SPECIFICATIONS

GENERAL

Technology:	LED
Warm-up time:	14 seconds
First output speed:	6.5 seconds
Print speed:	30 pages per minute (A4 SEF)
CPU:	500 MHz
Memory:	Standard: 256 MB Maximum: 256 MB
Duty cycle:	50,000 prints per month
Duplex:	Yes
Dimensions (W x D x H):	370 x 392 x 268 mm
Weight:	14.5 kg
Power source:	220 - 240 V, 50/60 Hz

PRINTER

Printer language:	Standard: PCL5e, PCL6, Adobe® PostScript® 3™ 300 x 300 dpi, 600 x 600 dpi, 1,200 x 1,200 dpi
Print resolution:	
Fonts:	PCL (45 fonts, International fonts: 13 Intellifonts), PS3 (136 fonts)
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX
Network protocol:	TCP/IP (IPv4, IPv6)
Windows® environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2
Mac OS environments:	Macintosh OS X Native v10.6 or later

PAPER HANDLING

Recommended paper size:	A4~A6, custom size
Paper input capacity:	Maximum: 850 sheets
Paper output capacity:	Maximum: 125 sheets
Paper weight:	Standard paper tray(s): 52 - 162 g/m ² Optional paper tray(s): 52 - 162 g/m ² Bypass tray: 52 - 162 g/m ² Duplex: 52 - 162 g/m ²
Media capability:	Plain paper, Middle thick paper, Thick paper, Recycled paper, Colour paper, Letterhead, Pre-printed paper, Thin paper, Label paper, Envelopes, Transparencies

ECOLOGY

Power consumption:	Maximum: 989 W
	Energy Saver mode: 1 W

OPTIONS

1 x 250-sheet paper tray, 1 x 500-sheet paper tray

CONSUMABLES

Starter toner:	Black: 1,500 prints
Toner cartridge (low yield):	Black: 3,000 prints
Toner cartridge (medium yield):	Black: 6,000 prints
PCDU yield:	Black: 20,000 prints
Maintenance kit:	Black: 120,000 prints

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH
imagine. change.