

Digital B&W Laser Printer

RICOH
imagine. change.

RICOH SP 8400DN

Printer

92	0.5551122587	0.221212184489715	06/10/2000	48794004121
93	0.58420444411	0.397585136951335	07/11/2000	66710226465
94	0.68744564645	0.66998168771185	01/08/2000	21054869045
95	0.87978844121	0.649500000215112	03/10/2000	5
96	0.35841296465	0.979843114841233	15/02/2000	5
97	0.00000089045	0.332213556410002	16/05/2000	4
98	0.11111234084	0.984864131531231	20/03/2001	4
99	0.44444561054	0.546468441311488	15/07/2001	4
100	0.54315166483	0.645315454646644	04/08/2001	2
101	0.54545918455	0.9488154548954555	06/10/2001	4
102	0.65144848088	0.912223234466784	07/11/2001	2
103	0.329383696455	0.322611226344884	16/05/2001	5
104	0.44986111111	0.97978546445111	20/10/2001	9

118	0.9487978411	0.111111111111111	0.111111111111111	0.111111111111111
119	0.22771299888	0.22771299888	0.22771299888	0.22771299888
120	0.48741195144	0.48741195144	0.48741195144	0.48741195144
121	0.48741195144	0.48741195144	0.48741195144	0.48741195144
122	0.46445458777	0.46445458777	0.46445458777	0.46445458777
123	0.8970044584	0.8970044584	0.8970044584	0.8970044584
124	0.45444417799	0.45444417799	0.45444417799	0.45444417799
125	0.53111322587	0.53111322587	0.53111322587	0.53111322587
126	0.7044444411	0.7044444411	0.7044444411	0.7044444411
127	0.7044444411	0.7044444411	0.7044444411	0.7044444411
128	0.7044444411	0.7044444411	0.7044444411	0.7044444411
129	0.7044444411	0.7044444411	0.7044444411	0.7044444411
130	0.7044444411	0.7044444411	0.7044444411	0.7044444411
131	0.7044444411	0.7044444411	0.7044444411	0.7044444411
132	0.7044444411	0.7044444411	0.7044444411	0.7044444411
133	0.7044444411	0.7044444411	0.7044444411	0.7044444411
134	0.7044444411	0.7044444411	0.7044444411	0.7044444411
135	0.7044444411	0.7044444411	0.7044444411	0.7044444411
136	0.7044444411	0.7044444411	0.7044444411	0.7044444411
137	0.7044444411	0.7044444411	0.7044444411	0.7044444411
138	0.7044444411	0.7044444411	0.7044444411	0.7044444411
139	0.7044444411	0.7044444411	0.7044444411	0.7044444411
140	0.7044444411	0.7044444411	0.7044444411	0.7044444411
141	0.7044444411	0.7044444411	0.7044444411	0.7044444411
142	0.7044444411	0.7044444411	0.7044444411	0.7044444411
143	0.7044444411	0.7044444411	0.7044444411	0.7044444411
144	0.7044444411	0.7044444411	0.7044444411	0.7044444411
145	0.7044444411	0.7044444411	0.7044444411	0.7044444411
146	0.7044444411	0.7044444411	0.7044444411	0.7044444411
147	0.7044444411	0.7044444411	0.7044444411	0.7044444411
148	0.7044444411	0.7044444411	0.7044444411	0.7044444411
149	0.7044444411	0.7044444411	0.7044444411	0.7044444411
150	0.7044444411	0.7044444411	0.7044444411	0.7044444411

42	AUS	2008	94110112	UK	8	0.673045
33	MEX	2008	45544343	MEX	3	0.994644
44	USA	2008	4891644	USA	5	0.997544
54	JPN	2008	3454454	GER	5	0.800301
44	UK	2008	4877944	ARG	5	0.244014
01	USA	2008	94110112	UK	8	0.673045
68	UK	2008	45544343	MEX	3	0.994644
55	CHN	2008	4891644	USA	5	0.997544
37	GER	2008	3454454	GER	5	0.800301
88	ARG	2008	4877944	ARG	5	0.244014
64	UK	2008	94110112	UK	8	0.673045
44	MEX	2008	45544343	MEX	3	0.994644
44	USA	2008	4891644	USA	5	0.997544
55	ARG	2008	3454454	GER	5	0.800301
66	CHN	2008	4877944	ARG	5	0.244014
54	MEX	2008	94110112	UK	8	0.673045
63	AUS	2008	45544343	MEX	3	0.994644
44	MEX	2008	4891644	USA	5	0.997544
88	USA	2008	3454454	GER	5	0.800301
66	JPN	2008	4877944	ARG	5	0.244014
55	UK	2008	94110112	UK	8	0.673045
01	USA	2008	45544343	MEX	3	0.994644
06	GER	2008	4891644	USA	5	0.997544
43	GER	2008	3454454	GER	5	0.800301

45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800301
45	USA	2008	4877944	ARG	5	0.244014
45	USA	2008	94110112	UK	8	0.673045
45	USA	2008	45544343	MEX	3	0.994644
45	USA	2008	4891644	USA	5	0.997544
45	USA	2008	3454454	GER	5	0.800

Speed and reliability in equal measure.

When you need a robust, high-performance solution, the Ricoh SP 8400DN is here to transform your workflow. Printing the first page in just 2.2 seconds, this A3 60ppm Black and White printer with multiple finishing options is perfect if your daily business does not allow you to wait for your print output. Experience the difference with the SP 8400DN, our first A3 Black and White printer with a Smart Operation Panel, a tablet-like 10.1-inch interface that's built to boost your productivity.


- At 60ppm, speed meets reliability in a durable design built for constant use
- Easy to operate using the intuitive 10.1-inch touchscreen Smart Operation Panel
- Powerful controller provides full speed printing of even the most complex jobs
- Versatile and compact with multiple finishing options in a small footprint printer
- Environmentally friendly with lowest TEC value in its class



The perfect all-round package.

Fast. Powerful. Reliable.

With an overall print output of 60ppm, this A3 printer features a 2.2 second first print out speed. So if you need something fast, this Black and White printer offers the reliability to deliver time after time. Making it perfectly suited to a range of business critical environments.



Do more. Get Smart.

Our Smart Operation Panel is built to enhance your workflow with smart apps that extend your printer's functionality, and process even the most complex jobs. So you can – via the on-screen browser – access your files stored in the Cloud, then view and print them seamlessly.



High output. Low impact.

Eco-friendly features mean you save on costs and increase environmental sustainability without compromising on productivity. And with low power consumption, this printer offers a low overall TEC value, meeting environmental goals and saving you money.



More options. More output.

With a large standard paper capacity of 1,200 sheets, and allowing up to 4,700 sheets, the SP 8400DN even supports printing on 300 gsm paper. It also includes multiple finishers, a stapleless mode option and an internal-folding-unit that doesn't compromise device size.



RICOH SP 8400DN

MAIN SPECIFICATIONS

GENERAL		PAPER HANDLING	
Warm-up time:	21 seconds	Recommended paper size:	Standard paper tray(s): A3, A4, A5, A6, B4, B5, B6 Bypass tray: A3, A4, A5, A6, B4, B5, B6
First output speed:	2.2 seconds	Paper input capacity:	Standard: 1,200 sheets Maximum: 4,700 sheets
Continuous output speed:	60 ppm	Paper output capacity:	Maximum: 4,000 sheets
Memory:	Standard: 2 GB Maximum: 2 GB	Paper weight:	Paper tray(s): 60 - 300 g/m ² Bypass tray: 52 - 300 g/m ² Duplex: 52 - 256 g/m ²
HDD:	320 GB (Option)		
Dimensions (W x D x H):	587 x 653 x 720 mm		
Weight:	57 kg		
Power source:	220 - 240 V, 50/60 Hz		
PRINTER		ECOLOGY	
Printer language:	Standard: PCL5e, PCL6(XL), PDF Direct Emulation, PostScript 3 Emulation, Mediaprint (JPEG/TIFF) Option: Genuine Adobe®PostScript®3™, XPS, PDF Direct from Adobe®	Power consumption:	Maximum: 1.78 kW Ready mode: 43.4 W Sleep mode: Less than 0.89 W TEC (Typical Electricity Consumption): 2.7 kWh
Print resolution:	1,200 x 1,200 dpi		
Interface:	Standard: SD slot, USB Host Interface, *Bluetooth and Wireless LAN (IEEE 802.11a/b/g/n) in Smart Operation Panel, Ethernet 10 base-T/100 base-TX/1000 base-T Option: USB 2.0 (Type B), Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), USB Server for Second Network Interface		
Network protocol:	TCP/IP (IP v4, IP v6)		
Windows® environments:	Windows® Vista / 7 / 8.1 / 10, Windows® Server 2008 / 2008R2 / 2012 / 2012R2 / 2016		
Mac OS environments:	Macintosh OS X Native V10.9 or later		
UNIX environments:	UNIX Sun® Solaris: 9, 10 HP-UX: 11.x, 11i v2, 11i v3 SCO Open Server 5.0.7, 6.0 RedHat® Linux Enterprise: V4, V5, V6 IBM® AIX: 5L v5.3, 5L v6.1, 5L v7.1		
SAP® R/3® environments:	SAP® R/3®		
		OPTIONS	
		2 x 550-sheet paper tray, 2,000-sheet large capacity tray, 1,500-sheet side large capacity tray, Bridge unit, 1,000-sheet Hybrid finisher, 3,000-sheet finisher with 50-sheet stapler, 4-bin mailbox, Hard Disk Drive (320 GB), Wireless LAN (IEEE 802.11a/b/g/n), USB Server for Second Network Interface, Genuine Adobe®PostScript®3™, XPS direct print, NFC Card Reader, Internal multi-fold unit, Attention light, VM card option, Extended USB port (Type B), Bi-directional IEEE 1284, Hole punch unit, Output jogger unit	
		CONSUMABLES	
		Toner capacity:	Black: 51,000 prints
		Declared yield value in accordance with ISO/IEC 19752 Chart	
		<i>For availability of models, optional apparatus and software, please consult your local Ricoh supplier.</i>	

RICOH
imagine. change.



RICOH @Remote

